

CE MARKING



SYSTEXX Active, SYSTEXX Phantasy, SYSTEXX Pure

Vitrulan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

12

Reference number to declaration of performance: 101

DIN EN 15102:2007 + A1:2011

Decorative and functional wall and ceiling coverings made of glass yarns or glass fleece in roll form for indoor use

1. Unique identification code of the product-type:

Active	Absorb 060, Absorb 604, Absorb 633, Absorb 639, Absorb 532, Absorb Glassfleece Logo L65, Logo L00 Magnetic M22, Magnetic M39 Reno S38, Reno SP38, Reno 938
Phantasy	Stars 084, Jungle 087, Versailles 080, Orient 082, Desert 083, Icecubes 077, Bamboo 050, Diamont Dust 072, Stardust 073
Pure	Jute 004, Big Stripes 006, Small Stripes 025, Dots 075, Structure 532, Structure 603, Structure 604, Structure 608, Structure 629, Structure 633, Structure 635, Structure 639, Structure 650, Silk 060 Fleece V11, Fleece V14, Fleece V16, Fleece V22

DECLARATION OF PERFORMANCE NO.: 101

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

For decorative and functional wall and ceiling coverings made of glass yarns or glass fleece in roll form for indoor use.

4. Brand and Manufacturer:

Brand: SYSTEXX Active, SYSTEXX Phantasy, SYSTEXX Pure

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 101

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX Active AcousTherm

Vitrolan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

14

Reference number to declaration of performance: 102

DIN EN 15102:2007 + A1:2011

Decorative and functional wall and ceiling coverings made of glass yarns, with a sound-absorbing and heat attenuating backside laminating made of polyester, undyed, in roll form for indoor use

1. Unique identification code of the product-type:

Active	AcousTherm 233 AcousTherm 904
--------	----------------------------------

DECLARATION OF PERFORMANCE NO.: 102

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

Decorative and functional wall and ceiling coverings made of glass yarns, with a sound-absorbing and heat attenuating backside laminating made of polyester, undyed, in roll form for indoor use.

4. Brand and Manufacturer:

Brand: SYSTEXX Active AcousTherm

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 102

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	0,25 (H)	EN 15102:2007+A1:2011
Thermal resistance	0,06 [m ² *K/W]	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX FireProtect FP

Vitrulan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

17

Reference number to declaration of performance: 113

DIN EN 15102:2007 + A1:2011

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX

1. Unique identification code of the product-type:

Active	Fireprotect FP04 Fireprotect FP78 Fireprotect FP79
--------	--

DECLARATION OF PERFORMANCE NO.: 113

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX.

4. Brand and Manufacturer:

Brand: SYSTEXX Fireprotect FP

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 113

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	A2-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX FireProtect FP Glassfleece

Vitrolan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

17

Reference number to declaration of performance: 114

DIN EN 15102:2007 + A1:2011

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX

1. Unique identification code of the product-type:

Active	Fireprotect FP Glassfleece
--------	----------------------------

DECLARATION OF PERFORMANCE NO.: 114

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX.

4. Brand and Manufacturer:

Brand: SYSTEXX Fireprotect FP Glassfleece

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: **Fire performance**

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 114

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	A2-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX Active Whiteboard

Vitrulan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

18

Reference number to declaration of performance: 115

DIN EN 15102:2007 + A1:2011

White magnetic glass fleece as decorative and functional wall covering with patented magnetically backing and whiteboard capable surface coating

1. Unique identification code of the product-type:

Active	Magnetic Whiteboard shiny Magnetic Whiteboard matt
--------	---

DECLARATION OF PERFORMANCE NO.: 115

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

White magnetic glass fleece as decorative and functional wall covering with patented magnetically backing and whiteboard capable surface coating.

4. Brand and Manufacturer:

Brand: SYSTEXX Active Whiteboard

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 115

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	C-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX Effect Print

Vitrolan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

19

Reference number to declaration of performance: 116

DIN EN 15102:2007 + A1:2011

White glass fibre and cellulose fleece, printed with fancy material (sand) for decorative and functional wall design

1. Unique identification code of the product-type:

Phantasy	Waterfall EP08, Icecubes EP77
Pure	Skyline EP88

DECLARATION OF PERFORMANCE NO.: 116

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

White glass fibre and cellulose fleece, printed with fancy material (sand) for decorative and functional wall design.

4. Brand and Manufacturer:

Brand: SYSTEXX Effect Print

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 116

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director

Marktschorgast, 15 March 2022

CE MARKING



SYSTEXX Active Magnetic M20

Vitrolan Textile Glass GmbH

Bernecker Str. 8

D-95509 Marktschorgast

21

Reference number to declaration of performance: 118

DIN EN 15102:2007 + A1:2011

Light magnetic glass fleece as decorative and functional wall covering with magnetically backing

1. Unique identification code of the product-type:

Active	Magnetic M20
--------	--------------

DECLARATION OF PERFORMANCE NO.: 118

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

Light magnetic glass fleece as decorative and functional wall covering with magnetically backing.

4. Brand and Manufacturer:

Brand: SYSTEXX Active Magnetic M20

Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3, System 4

6. Harmonized standard: EN 15102 Decorative wall coverings and panel form

7. Definition System 3: Fire performance

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

DECLARATION OF PERFORMANCE NO.: 118

8. Definition System 4: Other essential characteristics

Declared performance:

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	C-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer:

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 15 March 2022